


Static – Single Color White Tape



Dimensions: Width [W]: 0.4" (10 mm) | Max run length [L]: 45'11" (14 m) | Cut every [C]: 2" (50 mm) | LED spacing: 0.2" (5.5 mm) | Height [H]: 0.1" (1.6 mm)


HEHD 0480 (IP 20) Long Run

- 141-198 lm/ft, 1.5 W/ft
- CRI 95+ / R9 values up to 98

MSRP per Foot

\$17.80 / ft

Power supply not included approx. \$200



Width [W]: 0.4" (10 mm) | Max run length [L]: 23'11" (7.3 m) | Cut every [C]: 2" (50 mm) | LED spacing: 0.2" (5.5 mm) | Height [H]: 0.1" (1.6 mm)

HEHD 1440 (IP 20)

- 423-595 lm/ft, 4.4 W/ft
- CRI 95+ / R9 values up to 98

MSRP per Foot

\$17.80 / ft

Power supply not included approx. \$200



Dimensions: Width [W]: 0.4" (10 mm) | Max run length [L]: 20'00" (6.1 m) | Cut every [C]: 2" (50 mm) | LED spacing: 0.2" (5.5 mm) | Height [H]: 0.1" (1.6 mm)

HEHD 1920 (High-output IP20)

- 560-784 lm/ft, 5.9 W/ft
- CRI 95+ / R9 values up to 98
- Rated for 60,000 hours

MSRP per Foot

\$17.80 / ft

Power supply not included approx. \$200

**[HEHD 0960](#) Reels quick ship program - \$290 reel



Static - Single Color White Tape Outdoor



Dimensions: Width [W]: 0.7" (16.7 mm) | Max run length [L]: 23'11" (7.3 m) | Cut every [C]: 2" (50 mm) | LED spacing: 0.2" (4.16 mm) | Height [H]: 0.2" (4.6 mm)

KWP-14KHEHD-1440 (IP65)

- 490-566 lm/ft, 4.4 W/ft, silicone sleeve
- CRI 95+ / R9 values up to 98
- Rated for 60,000 hours

MSRP per Foot

\$23.40 / ft

Power supply not included approx. \$200



Dimensions: Width [W]: 0.4" (10 mm) | Max run length [L]: 16'04" (5 m) | Cut every [C]: 0.6" (16.16 mm) | Height [H]: 0.2" (4 mm)

Flexible LED 1920 - Neon Flex (IP65)

- 298-457 lm/ft, 5.8 W/ft
- CRI 90 / Clean line of light
- Micro size

MSRP per Reel

\$323 / 16'4" Reel

Power supply not included approx. \$200



Dimensions: Width [W]: 0.5" (12 mm) | Cut every [C]: 2" (50 mm) | LED spacing: 0.3" (8.33 mm) | Height [H]: 1" (25 mm)

Flexible LED 1220 - Neon Flex (IP67)


- 161- 209 lm/ft, 2.9 W/ft
- CRI 90 / Clean line of light
- Left/Right Bendable

MSRP per Reel

\$500 / 16'4" Reel

Power supply not included approx. \$200

Dim to Warm Tape



Dimensions: Width [W]: 0.4" (10 mm) | Max run length [L]: 16'04" (5 m) | Cut every [C]: 2.5" (62.5 mm) | LED spacing: 0.3" (6.6 mm) | Height [H]: 0.1" (3.5 mm)

30/18 1770 (IP 20)

- 279 lm/ft, IP 20, 3.5 W/ft
- 1800K-3000K

MSRP per Foot

\$18.20 / ft

Power supply not included approx. \$200



Dimensions: Width [W]: 0.4" (10 mm) | Max run length [L]: 16'04" (5 m) | Cut every [C]: 2.8" (71.4 mm) | LED spacing: 0.3" (6.6 mm) | Height [H]: 0.1" (3.5 mm)

30/18 1770 (IP 20) - 0-10V controlled

- 292 lm/ft, IP 20, 3.5 W/ft
- 1800K-3000K
- 0-10V driver required

MSRP per Foot

\$15.40 / ft

Power supply not included approx. \$200



Dimensions: Width [W]: 0.6" (14 mm) | Cut every [C]: 2.5" (62.5 mm) | Height [H]: 0.6" (14 mm)

Flexible LED 18D30D1- Neon Flex (IP67)


- 138 lm/ft, 3.5 W/ft
- CRI 90 / Clean line of light
- Up/Down Bendable

MSRP per Reel

\$539.20 / 16'4" Reel

Power supply not included approx. \$200

Adjustable White Tape



Width [W]: 0.4" (10 mm) | Max run length [L]: 16'04" (5 m) | Cut every [C]: 2" (50 mm) | LED spacing: 0.2" (4.2 mm) | Height [H]: 0.1" (1.5 mm)

22/50 1728 (IP 20) - DMX controlled

- 467 lm/ft, 5.3 W/ft
- 2200K-5000K

MSRP per Foot

\$23.10 / ft

Power supply & DMX decoder not included approx. \$400



Dimensions: Width [W]: 0.5" (12 mm) | Max run length [L]: 16'04" (4.978 m) | Cut every [C]: 2" (50 mm) | Height [H]: 0.2" (6 mm)

Flexible Neon 25T55 (IP67) - DMX


- 360 lm/ft, 6.1 W/ft
- CRI 90 / Clean line of light
- Up/Down Bendable

MSRP per Reel

\$388.90/ 16'4" Reel

Power supply & DMX decoder not included approx. \$400

Line Voltage Tape



Dimensions: Width [W]: 0.6" (16.5 mm) | Max run length [L]: 164'00" (50 m) | Cut every [C]: 3.9" (100 mm) | LED spacing: 0.3" (8.33 mm) | Height [H]: 0.3" (7 mm)


LV-1213- 120V (IP65)

- 315-350 lm/ft, 3.7 W/ft
- CRI 90

MSRP per Foot

\$32.34 / ft

RGB/ RGBW / RGBCTT



Width [W]: 0.3" (8 mm) | Max run length [L]: 16'04" (5 m) | Cut every [C]: 2" (50 mm) | LED spacing: 0.3" (8.3 mm) | Height [H]: 0.1" (2.5 mm)

RGB- 1920 (IP20) - DMX

- 202 lm/ft, 5.9 W/ft
-

MSRP per Foot

\$20.50 / ft

Power supply & DMX decoder not included approx. \$400



Dimensions: Width [W]: 0.4" (10 mm) | Max run length [L]: 19'08" (6 m) | Cut every [C]: 2.5" (62.5 mm) | LED spacing: 0.4" (10 mm) | Height [H]: 0.1" (1.5 mm)


RGBW- 1530 (IP20) - DMX

- 241 lm/ft, 4.7 W/ft

MSRP per Foot

\$17.90 / ft

Power supply & DMX decoder not included approx. \$400



Dimensions: Width [W]: 0.5" (12 mm) | Max run length [L]: 16'04" (5 m) | Cut every [C]: 3.9" (100 mm) | LED spacing: 0.7" (16.7 mm) | Height [H]: 0.1" (2 mm)

RGB27T65 (IP20) - DMX

- 122 lm/ft, 3.7 W/ft
- Color and adjustable white in one LED tape
- 2700K - 6500K

MSRP per Foot

\$20.50 / ft

Power supply & DMX decoder not included approx. \$400

Controller Set-up - Single Color (Static)



DMX Controller Set-up - (Dynamic)

